

CM0832 - MT5001 Elements of Set Theory
2.2 Relations

Andrés Sicard-Ramírez

Universidad EAFIT

Semester 2026-1

Outline

Preliminaries

Binary Relations

Cartesian Products

References

Outline

Preliminaries

Binary Relations

Cartesian Products

References

Preliminaries

Textbook

Karel Hrbacek and Thomas Jech ([1978] 1999). Introduction to Set Theory.

Convention

The numbers and page numbers assigned to chapters, examples, exercises, figures, quotes, sections and theorems on these slides correspond to the numbers assigned in the textbook.

Outline

Preliminaries

Binary Relations

Cartesian Products

References

Binary Relations

Definition [2.]2.1

A set R is a **binary relation** if all elements of R are ordered pairs.

Binary Relations

Definition [2.]2.1

A set R is a **binary relation** if all elements of R are ordered pairs.

Remark

*“A binary relation is, therefore, determined by specifying all ordered pairs of objects in that relation; **it does not matter by what property** the set of these ordered pairs is described.” (p. 19)*

Binary Relations

Definition [2.]2.1

A set R is a **binary relation** if all elements of R are ordered pairs.

Remark

*“A binary relation is, therefore, determined by specifying all ordered pairs of objects in that relation; **it does not matter by what property** the set of these ordered pairs is described.” (p. 19)*

Notation

Let R be a binary relation.

- (a) We write $(a, b) \in R$ or aRb .
- (b) We write $(a, b) \notin R$ or $a\not Rb$.

Binary Relations

Example (informal)

Whiteboard.

Binary Relations

Example (informal)

Whiteboard.

Example (informal)

Let $\mathbf{N} = \{0, 1, 2, \dots\}$. The identity relation on \mathbf{N} , denoted $\text{Id}_{\mathbf{N}}$, is defined by

$$\begin{aligned}\text{Id}_{\mathbf{N}} &= \{ (n, n) \mid n \in \mathbf{N} \} \\ &= \{ (0, 0), (1, 1), (2, 2), \dots \}.\end{aligned}$$

Binary Relations

Definition [2.]2.3

Let R be a binary relation. Then

$\text{dom } R \stackrel{\text{def}}{=} \{ x \mid \text{there exists } y \text{ such as } xRy \}$ (**domain** of R)

$\text{ran } R \stackrel{\text{def}}{=} \{ y \mid \text{there exists } x \text{ such as } xRy \}$ (**range** of R)

$\text{field } R \stackrel{\text{def}}{=} \text{dom } R \cup \text{ran } R$ (**field** of R)

Binary Relations

Definition [2.]2.3

Let R be a binary relation. Then

$$\text{dom } R \stackrel{\text{def}}{=} \{ x \mid \text{there exists } y \text{ such as } xRy \} \quad (\text{domain of } R)$$

$$\text{ran } R \stackrel{\text{def}}{=} \{ y \mid \text{there exists } x \text{ such as } xRy \} \quad (\text{range of } R)$$

$$\text{field } R \stackrel{\text{def}}{=} \text{dom } R \cup \text{ran } R \quad (\text{field of } R)$$

If $\text{field } R \subseteq X$ then R is a relation in X .

Binary Relations

Question

Let R be a binary relation. Are $\text{dom } R$ and $\text{ran } R$ sets?

Binary Relations

Question

Let R be a binary relation. Are $\text{dom } R$ and $\text{ran } R$ sets?

Answer

Definition of $\text{dom } R$ and $\text{ran } R$ without using the textbook conventions.

$$\begin{aligned}\text{dom } R &\stackrel{\text{def}}{=} \left\{ x \in \bigcup \bigcup R \mid \text{there exists } y \text{ such as } xRy \right\}, \\ \text{ran } R &\stackrel{\text{def}}{=} \left\{ y \in \bigcup \bigcup R \mid \text{there exists } x \text{ such as } xRy \right\}.\end{aligned}$$

That is, $\text{dom } R$ and $\text{ran } R$ are sets defined from the Axiom Scheme of Comprehension.

Binary Relations

Convention (p. 21)

When defining sets of ordered pairs we shall use the following convention:

$$\{ (x, y) \mid \mathbf{P}(x, y) \} \stackrel{\text{def}}{=} \{ w \mid w \doteq (x, y) \text{ for some } x \text{ and } y \text{ such that } \mathbf{P}(x, y) \}.$$

Relations

Definition [2.]2.11

Let A be a set.

- The **membership relation** on A , denoted \in_A , is defined by

$$\in_A \stackrel{\text{def}}{=} \{ (a, b) \mid a \in A, b \in A \text{ and } a \in b \}.$$

- The **identity relation** on A , denoted Id_A , is defined by

$$\text{Id}_A \stackrel{\text{def}}{=} \{ (a, b) \mid a \in A, b \in A \text{ and } a = b \}.$$

Outline

Preliminaries

Binary Relations

Cartesian Products

References

Cartesian Products

Definition [2.]2.12

Let A and B be sets. The **Cartesian product** of A and B , denoted $A \times B$, is defined by

$$A \times B \stackrel{\text{def}}{=} \{ (a, b) \mid a \in A \text{ and } b \in B \}.$$

Cartesian Products

Question

Let A and B be sets. Is $A \times B$ a set?

Cartesian Products

Question

Let A and B be sets. Is $A \times B$ a set?

Answer

Definition of $A \times B$ without using the textbook conventions.

$$A \times B \stackrel{\text{def}}{=} \{ w \in \mathcal{P}(\mathcal{P}(A \cup B)) \mid w \doteq (a, b) \text{ for some } a \text{ and } b \text{ such that } \mathbf{P}(a, b) \},$$

where $\mathbf{P}(x, y)$: “ $x \in A$ and $y \in B$ ”.

That is, $A \times B$ is a set defined from the Axiom Scheme of Comprehension.

Cartesian Products

Notation

$$A^2 \stackrel{\text{def}}{=} A \times A.$$

Cartesian Products

Notation

$$A^2 \stackrel{\text{def}}{=} A \times A.$$

Remark

Note that a binary relation R is in A if and only if $R \subseteq A^2$.

Relations

Definition (p. 22)

Let A , B and C be sets. The **Cartesian product** of A , B and C , denoted $A \times B \times C$, is defined by

$$\begin{aligned} A \times B \times C &\stackrel{\text{def}}{=} (A \times B) \times C \\ &\doteq \{ (a, b, c) \mid a \in A, b \in B \text{ and } c \in C \}. \end{aligned}$$

Relations

Definition (p. 22)

Let A , B and C be sets. The **Cartesian product** of A , B and C , denoted $A \times B \times C$, is defined by

$$\begin{aligned} A \times B \times C &\stackrel{\text{def}}{=} (A \times B) \times C \\ &\doteq \{ (a, b, c) \mid a \in A, b \in B \text{ and } c \in C \}. \end{aligned}$$

Notation

$$A^3 \stackrel{\text{def}}{=} A \times A \times A.$$

Cartesian Products

Definition [2.]2.13

A set R is a **ternary relation** if all elements of R are ordered triples.

Cartesian Products

Definition [2.]2.13

A set R is a **ternary relation** if all elements of R are ordered triples.

A set R is a **ternary relation in** A if and only if $R \subseteq A^3$.

Cartesian Products

Definition [2.]2.13

A set R is a **ternary relation** if all elements of R are ordered triples.[†]

A set R is a **ternary relation in** A if and only if $R \subseteq A^3$.

[†]See the corrections to the textbook.

Cartesian Products

Definition (p. 22)

Let A be a set. A **unary relation in A** is any subset of A .

Outline

Preliminaries

Binary Relations

Cartesian Products

References

References

Karel Hrbacek and Thomas Jech [1978] (1999). Introduction to Set Theory. Third Edition, Revised and Expanded. Marcel Dekker (cit. on p. 4).