

CM0832 - MT5001 Elements of Set Theory

Elementary Operations on Sets

Andrés Sicard-Ramírez

Universidad EAFIT

Semester 2026-1

Preliminaries

Textbook

Karel Hrbacek and Thomas Jech ([1978] 1999). Introduction to Set Theory.

Convention

The numbers and page numbers assigned to chapters, examples, exercises, figures, quotes, sections and theorems on these slides correspond to the numbers assigned in the textbook.

Elementary Operations on Sets

Definitions

$$A \subset B \stackrel{\text{def}}{=} A \subseteq B \text{ and } A \neq B$$

(proper subset)

$$A \supseteq B \stackrel{\text{def}}{=} A \subseteq B$$

(superset)

$$A \supset B \stackrel{\text{def}}{=} A \subset B$$

(proper superset)

Elementary Operations on Sets

Definitions

Let A and B sets. Then

$$A \cup B \stackrel{\text{def}}{=} \bigcup \{A, B\}$$

(union)

$$A \cap B \stackrel{\text{def}}{=} \{x \in A \mid x \in B\}$$

(intersection)

$$A - B \stackrel{\text{def}}{=} \{x \in A \mid x \notin B\}$$

(difference)

$$A \triangle B \stackrel{\text{def}}{=} (A - B) \cup (B - A)$$

(symmetric difference)

Elementary Operations on Sets

Convention (pp. 9–10)

*“We say that S is a **system of sets** or a **collection of sets** when we want to stress that elements of S are sets (of course, this is always true—all our objects are sets—and thus the expressions ‘set’ and ‘system of sets’ have the same meaning).”*

Elementary Operations on Sets

Exercise

To prove that for any **non-empty** system of sets S , there exists a unique set B such that $x \in B$ if and only if x belongs to every member of S .

Elementary Operations on Sets

Exercise

To prove that for any **non-empty** system of sets S , there exists a unique set B such that $x \in B$ if and only if x belongs to every member of S .

Proof

- (a) We prove the existence of the set B from the hypothesis that exists $A \in S$ and the Axiom Schema of Comprehension on property $\mathbf{P}(x, S)$: “ x belongs to every member of S ”.
- (b) We prove that the set B is unique from the Axiom of Extensionality.

Elementary Operations on Sets

Exercise

To prove that for any **non-empty** system of sets S , there exists a unique set B such that $x \in B$ if and only if x belongs to every member of S .

Definition (p. 14)

The **(generalised) intersection** of a **non-empty** system of sets S , denoted $\bigcap S$, is the set postulated by the exercise.

Elementary Operations on Sets

Question

Note that $\bigcap \emptyset$ is not defined. Why?

Elementary Operations on Sets

Question

Note that $\bigcap \emptyset$ is not defined. Why?

Alternative definition

$$A \cap B \stackrel{\text{def}}{=} \bigcap \{A, B\}.$$

Elementary Operations on Sets

Definitions (p. 14)

Sets A and B are **disjoint** if $A \cap B \doteq \emptyset$.

Elementary Operations on Sets

Definitions (p. 14)

Sets A and B are **disjoint** if $A \cap B \doteq \emptyset$.

A system of sets S is **mutually disjoint** (or **pairwise disjoint**) if $A \cap B \doteq \emptyset$, for all $A, B \in S$ with $A \neq B$.

Outline

References

References

Karel Hrbacek and Thomas Jech [1978] (1999). Introduction to Set Theory. Third Edition, Revised and Expanded. Marcel Dekker (cit. on p. 2).